

Final Submittal


**Energy Engineering Analysis Program
Lighting Survey of Selected Buildings
Pine Bluff Arsenal
Pine Bluff, Arkansas**



**Volume IIIB
Site Survey Forms**

**Contract No. DACA01-94-D-0038
Delivery Order No. 0001**

June 1995






DEPARTMENT OF THE ARMY
CONSTRUCTION ENGINEERING RESEARCH LABORATORIES, CORPS OF ENGINEERS
P.O. BOX 9005
CHAMPAIGN, ILLINOIS 61826-9005

REPLY ^{TO}
ATTENTION OF: TR-I Library

17 Sep 1997

Based on SOW, these Energy Studies are unclassified/unlimited.
Distribution A. Approved for public release.


Marie Wakefield,
Librarian Engineering

19971017 223

FINAL SUBMITTAL

ENERGY ENGINEERING ANALYSIS PROGRAM
LIGHTING SURVEY OF SELECTED BUILDINGS
PINE BLUFF ARSENAL
PINE BLUFF, ARKANSAS

VOLUME 111B
SITE SURVEY FORMS

CONTRACT NO. DACA01-94-D-0038
DELIVERY ORDER NO. 0001

PREPARED FOR:

U.S. ARMY CORPS OF ENGINEERS
LITTLE ROCK, ARKANSAS

PREPARED BY:

REYNOLDS, SMITH AND HILLS, INC.
ENERGY SERVICES DEPARTMENT
P.O. BOX 4850
JACKSONVILLE, FLORIDA 32201

See Appendix A for Project P

PROJECT NO. 6941331001

JUNE 1995



Carlos S. Warren, PhD, PE
Project Manager

VOLUME IIIA
TABLE OF CONTENTS

BLDG

TAB

34-970	1
44-100	2
51-420	3
51-430	4
53-160	5
60-020	6
60-060	7
60-070	8
60-090	9
60-630	10
63-100	11
63-110	12
63-120	13
63-200	14
63-210	15
63-410	16

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: Wms Rest Room

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' SURF GASKET

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>11</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # 1

Area Description: SECRETARY OFFICE

Area Dimensions: 12 ft X 12 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0700-1630

Lamp Model: F40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>71</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # 4

Area Description: Rm 4 OFFICE

Area Dimensions: 11 ft X 12 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center).

Fixture Type: RECESSED ARMED

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: RUOLW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>60</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # 3

Area Description: Rm 3 OFFICE

Area Dimensions: 13 ft X 12 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ARMED

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: RUOLW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>90</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: DIRECTOR ENG

Area Dimensions: 16 ft X 18 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW + 34W

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>8</u>	<u>66</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: ADMIN OFFICE

Area Dimensions: _____ ft X _____ ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	_____	_____	_____

LOCKED - COULD NOT GET IN

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: CONF ROOM

Area Dimensions: 16.5 ft X 18 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: P40 CW w/4 SAME 34W Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>5</u>	<u>51</u>	_____	_____

ONLY 2 LAMPS USED IN FIXTURE

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: FILE ROOM

Area Dimensions: 9 ft X 14 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0700 - 1630

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>22</u>	<u>57</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: CORNER ROOM

Area Dimensions: 5.5 ft X 13 ft. 101

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' EGGCRATE

Switching - Type: O.S. No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>28</u>	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: STORAGE ROOM

Area Dimensions: 5.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M. WRAP ARMS

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>30</u>	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: WOMENS Rest Room

Area Dimensions: 6 ft X 9 ft. 10 + (3.5 x 9 8')

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>1</u>	<u>27</u>	<u>32</u>	<u>TOILET</u>

1 INCANDESCENT - 75 W

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: ALCOVE

Area Dimensions: 3.5 ft X 6 ft. 7.5

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>75</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: MENS RM

Area Dimensions: 3.5 ft X 9' ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INLAD

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

22

1 75W INLAD

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: KITCHEN

Area Dimensions: 7.5 ft X 13 ft. 7.5

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ARMRIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

1

60

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # _____

Area Description: HALL

Area Dimensions: 4 ft X 30 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: PHO CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>65</u>	<u>60</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: _____

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	_____	_____	_____	_____

LIGHTING SURVEY ECO CHECK-LIST

BLDG # 44/100

ROOM/AREA ENTIRE BUILDING

A. Reduce/enhance lighting

1. Remove unneeded lamps or fixtures _____
2. Reduce indoor lighting where illumination exceeds AEI recommended levels _____
3. Increase daylighting _____
4. Lower light fixtures _____
5. Improve reflection and dispersion with light-colored ceiling and walls _____

B. Improve lighting controls

1. Install occupancy controls to control lighting _____ ✓ *
2. Install photocells to lighting near windows _____
3. Install additional switches to control lighting arrangements _____
4. Use time-clocks to shut off exterior building lights _____

C. Improve lighting efficiency

1. Replace incandescent lamps in kitchen, hallway, and bathroom fixtures with compact fluorescent lamps _____
2. Replace incandescent lamps in exit sign fixtures with LED fixtures _____
3. Replace incandescent lamps in exit signs with compact fluorescent lamps _____ ✓
4. Replace standard fluorescent lamps with energy-conserving lamps _____ ✓
5. Replace standard fluorescent ballasts with electronic ballasts _____ ✓
6. Replace existing fluorescent fixtures with new fixtures having efficient reflectors, electronic ballasts, and energy-conserving lamps _____ ✓
7. Use more efficient lighting sources, i.e., upgrade from incandescent to fluorescent, from fluorescent to HID, from mercury vapor to high-pressure sodium, etc. _____

* AS NECESSARY

LIGHTING SURVEY DATA SHEET

BLDG. # 44160

ROOM # _____

Area Description: CAFETERIA

Area Dimensions: SEE DRAWING ft X _____ ft.

Fixture Grid: 8 ft X 12 ft. (center-to-center)

Fixture Type: RECESSED 2'x4' ACRYLIC

Switching - Type: WALL No. 8

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: MARK III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>3</u>	<u>2</u>	<u>60</u>	<u>28</u>	<u>20</u>	<u>26</u>

EXIT SIGN - 2-25W INCANDESCENT

* 10 FIXTURES ARE ABOVE OFFICES

CEILING - 9'

LIGHT SWITCHES CONTROL DIFFERENT BULBS IN FIXTURES

SOME FIXTURES ARE 2'x2' - INDICATED ON DRAWING

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: CAFETERIA COOKING AREA

Area Dimensions: SEE DRAWING ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>3</u>	<u>2</u>	<u>7</u>	<u>72</u>	<u>65</u>	_____

CEILING - 9'

LIGHTING SURVEY DATA SHEET

BLDG. # 411/00 ROOM #

Area Description: CAFETERIA OFFICE
 Area Dimensions: 16 ft X 20 ft. 7.5'
 Fixture Grid: ft X ft. (center-to-center)
 Fixture Type: SAME
 Switching - Type: No. 1
 Accessibility to User: OK
 Hours of Operation: 0630-1630
 Lamp Model: F40 CW Ballast Model: MARL III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>8</u>	<u>111</u>	<u>106</u>	<u> </u>

CAFETERIA FIXTURES ARE ABOVE OFFICE CEILING

LIGHTING SURVEY DATA SHEET

BLDG. # 411/012 ROOM #

Area Description: CAFETERIA CONFERENCE
 Area Dimensions: 12 ft X 20 ft. 7.5'
 Fixture Grid: ft X ft. (center-to-center)
 Fixture Type: SAME
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation:
 Lamp Model: Ballast Model:

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>184</u>	<u> </u>	<u> </u>

LIGHTS ARE NORMALLY OFF

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: CAFETERIA OFFICE

Area Dimensions: 12 ft X 16 ft. + 12x8

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: F40 CW Ballast Model: NAP-III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>121</u>	_____	_____
<u>3</u>	<u>2</u>	<u>1</u>			

* LIGHTS WERE OFF

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: MENS/WMS RESTROOM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 75 W INCAD.

Switching - Type: O.S. No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	_____	_____	_____	_____

O.S. APPARATUS TO NOT FUNCTION

LIGHTING SURVEY DATA SHEET

BLDG. # _____ ROOM # _____

Area Description: CATERING HALLWAY

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: EDW INCAD

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	<u>3</u>	_____	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100 ROOM # _____

Area Description: ENG. OFFICE

Area Dimensions: 10 ft X 12.5 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>60</u>	<u>60</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: PM OFFICE

Area Dimensions: 10 ft X 12.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW Ballast Model: MAZE III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>43</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: ADMIN OFFICE

Area Dimensions: 19 ft X 30 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW Ballast Model: M III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>9</u>	<u>75</u>	<u>30</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: DIRECTOR OFFICE

Area Dimensions: 24 ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW

Ballast Model: M III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>82</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: COFFEE ROOM

Area Dimensions: 12 ft X 13 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW

Ballast Model: M III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>75</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100 ROOM # _____

Area Description: CAD OFFICE

Area Dimensions: 9.5 ft X 13 ft.

Fixture Grid: SAME ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>68</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100 ROOM # _____

Area Description: OFFICE #1

Area Dimensions: 11 ft X 14 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FHDCW Ballast Model: M III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>91</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: STATISTICS OFFICE

Area Dimensions: 10.5 ft X 10.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>61</u>	_____	_____

----- LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: OFFICE #2

Area Dimensions: 10.5 ft X 10.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>65</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: OFFICE HALL

Area Dimensions: 4 ft X 21.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FUD CW

Ballast Model: M III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>42</u>	<u>50</u>	_____

EXIT SIGN - 2 75W INCLAD

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: MAIN HALL

Area Dimensions: SEE DRAW. ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FUD CW

Ballast Model: RQM-2540-3-TP

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>2</u>	<u>7</u>	<u>26</u>	<u>36</u>	_____

ADVANCE

LIGHTING SURVEY DATA SHEET

BLDG. # 44/60

ROOM # _____

Area Description: MAIN OFFICE

Area Dimensions: 15 ft X 19.30 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1 NEED D.S.

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>6</u>	<u>66</u>	<u>47</u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 44/00

ROOM # _____

Area Description: OFFICE #3

Area Dimensions: 12 ft X 30 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1 NEED D.S.

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>5</u>	<u>55</u>	<u>71</u>	<u> </u>

HAS EXIT SIGN

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: MENS LOBBY ROOM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1 NEED O.S.

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: PHOCW

Ballast Model: ADVANCE

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>14</u>	<u>26</u>	<u>33</u>	_____

1 IN ABOVE

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: SHOWER AREA

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 2 NEED O.S.

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>5</u>	<u>64</u>	<u>29</u>	_____

SHOWER

TOILET

2 WALL MOUNTED 4' FIXTURES IN BATH RM

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: Locker Rm - OLD

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. _____ NEED DIS

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>36</u>	<u>30</u>	<u>35</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: _____

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	_____	_____	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: LOCKER HALL

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: VARIOUS

Switching - Type: WALL No. 2

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>2</u>	<u>1</u>	<u>6</u>	_____	_____	_____
<u>2</u>	<u>1</u>	<u>2</u>	_____	_____	_____

SURFACE
MOUNT
INDUSTRIAL

LIGHTS ARE BURNED OUT → 1'x4'
1 - 75 W INCAD.

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: MENS RM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SURF. MOUNT INDUS 41

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>2</u>	<u>1</u>	<u>8</u>	<u>80</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: MENS SHOWER

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' SURFACE MOUNT - GASET

Switching - Type: O.S. No. 1 DOESN'T WORK

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>8</u>	<u>28</u>	<u>40</u>	_____

----- LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: WOMENS LOUVER

Area Dimensions: 12.5 ft X 38 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1 NEED O.S.

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>8</u>	<u>48</u>	<u>35</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: WOMENS SHOWER #1

Area Dimensions: 1' ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 75 W ENCLOSED IN LANCES

Switching - Type: WALL No. 1 NEED O.S

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	<u>14</u>	<u>10</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: WOMENS SHOWER #2

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME AS #1

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	<u>9</u>	<u>12</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: WOMENS BATH POOL LOUNGE

Area Dimensions: 16.5 ft X 22.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1 NEED D.S.

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>4</u>	<u>50</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: WOMENS B.R.

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' INDUSTRIAL

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>3</u>	<u>36</u>	<u>46</u>	_____

THERE ARE 2 ADDITIONAL FIXTURES NOT USED

LIGHTING SURVEY DATA SHEET

BLDG. # 44100

ROOM # _____

Area Description: SUPPLY STORAGE

Area Dimensions: 29 ft X 16.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>8</u>	<u>40</u>	<u>33</u>	<u> </u>

----- LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: SUPPLY FILING AREA

Area Dimensions: 16.60 ft X 41 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1 NEED O.S

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40-CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>23</u>	<u>69</u>	<u>71</u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 441160

ROOM # _____

Area Description: SUPPLY OFFICE

Area Dimensions: 30 ft X 20 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>7</u>	<u>32</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 441160

ROOM # _____

Area Description: SUPPLY OFFICE PARTITION

Area Dimensions: 9.5 ft X 10 ft. 7'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>76</u>	_____	_____

LIGHTING SURVEY ECO CHECK-LIST

BLDG # 511-420

ROOM/AREA ENTIRE BUILDING

A. Reduce/enhance lighting

1. Remove unneeded lamps or fixtures ☒
2. Reduce indoor lighting where illumination exceeds AEI recommended levels ☒
3. Increase daylighting ☐
4. Lower light fixtures ☐
5. Improve reflection and dispersion with light-colored ceiling and walls ☐

B. Improve lighting controls

1. Install occupancy controls to control lighting ☒
2. Install photocells to lighting near windows ☐
3. Install additional switches to control lighting arrangements ☐
4. Use time-clocks to shut off exterior building lights ☐

C. Improve lighting efficiency

1. Replace incandescent lamps in kitchen, hallway, and bathroom fixtures with compact fluorescent lamps ☐
2. Replace incandescent lamps in exit sign fixtures with LED fixtures ☒
3. Replace incandescent lamps in exit signs with compact fluorescent lamps ☐
4. Replace standard fluorescent lamps with energy-conserving lamps ☒
5. Replace standard fluorescent ballasts with electronic ballasts ☒
6. Replace existing fluorescent fixtures with new fixtures having efficient reflectors, electronic ballasts, and energy-conserving lamps ☐
7. Use more efficient lighting sources, i.e., upgrade from incandescent to fluorescent, from fluorescent to HID, from mercury vapor to high-pressure sodium, etc. ☐

LIGHTING SURVEY DATA SHEET

BLDG. # 5420 51420

ROOM # 34

Area Description: BREAK ROOM

Area Dimensions: 15 ft X 19.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2x4 RECESSED ACRYLIC LENS

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0700 - 1630 OFF EVERY OTHER FRIDAY

Lamp Model: F40 CW

Ballast Model: MAGNATEK 446-L-SLH-TL-D

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>6</u>	<u>90</u>	_____	_____

ESB

* FC HIGH DUE TO DAYLIGHT
8' CEILING

LIGHTING SURVEY DATA SHEET

BLDG. # 5420

ROOM # 35

Area Description: CONF. ROOM

Area Dimensions: 13 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: OCUP. SENS. No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>48</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 33

Area Description: OFFICE

Area Dimensions: 15 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: O.S. No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>46</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 31

Area Description: CHEM. ENG. OFFICE

Area Dimensions: 15.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>6</u>	<u>53</u>	_____	_____

Some lamps out

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 29

Area Description: OFFICE

Area Dimensions: 15 ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>117</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 32

Area Description: MENS CHANGE ROOM

Area Dimensions: 15 ft X 14.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' GASKET

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW Ballast Model: MARK III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>4</u> <u>5</u>	<u>55</u>	<u>50</u>	<u>B₉</u>

LOCKER AREA

ALSO 1 3' WALL MOUNTED - 2 LAMP F30CW

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 30

Area Description: WOMENS CHANGING ROOM

Area Dimensions: 15 ft X 9 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME AS MENS

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>3</u> +1 WALL	_____	_____	_____

1 WALL SAME AS MENS

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # HALL 1

Area Description: HALLWAY

Area Dimensions: 6.5 ft X LENGTH OF BUILD ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

did not calculate

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F20 T12

Ballast Model: MAGNATEK 447 LR-TC-P

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>8</u>	<u>7</u>	<u>15</u>	_____

EXIT SIGN 2 15W INCANDESCENT BULBS

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 27

Area Description: OFFICE

Area Dimensions: 15 ft X 14 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>71</u>	_____	_____

3 FIXTURES HAVE 2 LAMPS TURNED OFF
1 FIXTURE IS COMPLETELY OFF

----- LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 25

Area Description: OFFICE

Area Dimensions: 13.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>117</u>	_____	_____

2 LAMPS ARE OUT IN 3 FIXTURES

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 23

Area Description: OFFICE

Area Dimensions: 15.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: O.S. No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>61</u>	_____	_____

3 FIXTURES HAVE 2 LAMPS OUT
1 FIXTURE HAS ALL LAMPS OUT

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 2

Area Description: OFFICE

Area Dimensions: 15 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: O.S. No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>75</u>	_____	_____

2 LAMPS OUT IN ALL FIXTURES

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 22

Area Description: OFFICE

Area Dimensions: 14 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	_____	_____	_____

LOCKED - COULD NOT GET IN

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 20/24

Area Description: STORAGE AREA

Area Dimensions: 10 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>2</u>	<u>4</u>	<u>205</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 26

Area Description: OFFICE

Area Dimensions: 13 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>4</u>	<u>2</u>	<u>4</u>	<u>198</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 28

Area Description: OFFICE

Area Dimensions: 18 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>4</u>	<u>2</u>	<u>4</u>	<u>75</u>	<u>89</u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # MENS Rm.

Area Description: MENS BATHROOM

Area Dimensions: 11.5 ft X 14.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: 1 No. WALL

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>75</u>	<u>35</u>	_____

----- LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # Wms. Rm

Area Description: WOMENS RESTROOM

Area Dimensions: 19 ft X 14.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>70</u>	<u>65</u>	_____

PLUS 1 4' INDUSTRIAL 2 TUBE F40 CWIEW 36 LAMPS

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 7

Area Description: COPIER ROOM

Area Dimensions: 10 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INDUSTRIAL SURFACE MOUNT

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation:

Lamp Model: F40 CW

Ballast Model: STD

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

3

2

2

21

NEEDS OCCUP. SENSOR

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # H.W. #2

Area Description: HALLWAY #2

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME AS HALL #1

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation:

Lamp Model:

Ballast Model:

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FCFC

FC

4

2

4

N. C. C. C.

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 5

Area Description: MANAGERS OFFICE

Area Dimensions: 20.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0630 - 1630 6 DAYS A WEEK

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>6</u>	<u>105</u>	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 3

Area Description: MANAGERS SECRETARY

Area Dimensions: 19 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: O.S. No. 1

Accessibility to User: OK

Hours of Operation: 0630 - 1630

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>6</u>	<u>96</u>	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 1

Area Description: OFFICE - DIRECTOR

Area Dimensions: 20.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: O.S. No. 1

Accessibility to User: OK

Hours of Operation: 0630-1630

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>6</u>	<u>104</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 2

Area Description: OFFICE

Area Dimensions: 12 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0630-1630

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>25</u>	_____	_____

PLENTY OF SUNLIGHT IN ROOM

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 4

Area Description: OFFICE

Area Dimensions: 18.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>6</u>	<u>118</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 6

Area Description: OFFICE

Area Dimensions: 15 ft X 15 ft.

Fixture Grid: SAME ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>128</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120 ROOM # 8

Area Description: OFFICE

Area Dimensions: 14.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>94</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 54120 ROOM # 10

Area Description: OFFICE

Area Dimensions: 14.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u> </u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 9

Area Description: OFFICE

Area Dimensions: 12.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>84</u>	_____	_____

----- LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 12

Area Description: OFFICE

Area Dimensions: 18 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 2 1 FOR BACK ROW 1 FOR FRONT ROW

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>81</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 11

Area Description: OFFICE

Area Dimensions: 17 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>70</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 14

Area Description: CONFERENCE ROOM

Area Dimensions: 27 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 2

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>6</u>	<u>94</u>	_____	_____

HAVE 2 OF FIXTURES HAVE 2 LIGHTS OUT

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # 13

Area Description: OFFICE

Area Dimensions: 20.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>85</u>	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 54120

ROOM # _____

Area Description: COMPUTER ROOM - AUTOMATED PLANTGROWTH SYSTEM

Area Dimensions: 13.5 ft X 14.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2X2 DIMMING BALLAST

Switching - Type: WALL DIMMER No. 2

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	—	—	—

THIS ROOM WILL BE CHANGED SOON - PROBABLY TO A STORAGE ROOM

LIGHTING SURVEY DATA SHEET

BLDG. # 51430 ROOM # _____

Area Description: OFFICE #1

Area Dimensions: 16 ft X 23 ft. 8

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0700 - 1600

Lamp Model: F40 CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>9</u>	<u>86</u>	<u>37</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 51430 ROOM # _____

Area Description: OFFICE / SHOP

Area Dimensions: 21.5 ft X 29 ft. 11

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 8' INDUS. SUSPEND, NO REFLEC.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0700 - 1600

Lamp Model: F96 CW 60W Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>8</u>	<u>45</u>	<u>89</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 51430

ROOM # _____

Area Description: BATHROOMS

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INCA

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 75 W Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
_____	_____	_____	_____	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 51430

ROOM # _____

Area Description: OFFICE #2

Area Dimensions: 14 ft X 29 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0700-1600

Lamp Model: F40CW Ballast Model: STD

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>2</u>	<u>1</u>	<u>3</u>	<u>42</u>	<u>29</u>	_____
<u>4</u>	<u>2</u>	<u>6</u>			

LIGHTING SURVEY DATA SHEET

BLDG. # 51430

ROOM # _____

Area Description: OFFICE #3

Area Dimensions: 18.5 ft X 12.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0700-1800

Lamp Model: FUO CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>52</u>	—	—
<u>2</u>	<u>1</u>	<u>1</u>			

LIGHTING SURVEY DATA SHEET

BLDG. # 51430

ROOM # _____

Area Description: OFFICE #3 RESTROOM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: IN CAD.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 60 W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	—	<u>2</u>	—	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: MAIN AREA
 Area Dimensions: 14.5 ft X 36 ft. + 6x20 ft. 8'10"
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: RECESSED ACRYLIC
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: FWD CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>10</u>	<u>89</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: OFFICE #1
 Area Dimensions: 10 ft X 12 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: SAME
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: FWD CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>92</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: OFFICE #2

Area Dimensions: 11 ft X 10 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FWCW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>82</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: OFFICE #3

Area Dimensions: 10 ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FWCW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>84</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: BREAK ROOM

Area Dimensions: 21 ft X 24 ft. 10

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME - RECESSED ACR.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>9</u>	<u>33</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: WMS. CLOTHING TURN-IN

Area Dimensions: 5 ft X 9 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 1'X4' RECESSED ACR

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: END CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>17</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: Women Restroom

Area Dimensions: 13 ft X 8.5 ft. 91

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 1'x4' RECESSED (2) 4' WALL MOUNT CL

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: P40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>3</u>	<u>25</u>	<u>—</u>	<u>—</u>

2 INLAD IN SHOWER - NOT WORKING

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: WOMENS LOCKER

Area Dimensions: 8 ft X 14 ft. 4 x 9 9' UEL

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2'x4' REC. A27 (2) 1'x4' REC. A27 (1)

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: P40 LW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>12</u>	<u>27</u>	<u>—</u>
<u>2</u>	<u>1</u>	<u>1</u>			

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: JANITOR

Area Dimensions: 5 ft X 5 ft. 9'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INCAD

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 75W INCAD

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	_____	<u>2</u>	<u>22</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: OFFICE #3

Area Dimensions: 14 ft X 24 ft. 8

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	_____	_____	_____

Room WAS LOCKED

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: STORE ROOM

Area Dimensions: 8 ft X 14 ft. 10'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED

Switching - Type: WALL No. 2

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: STA

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>39</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: ALLUVE #1

Area Dimensions: 8 ft X 4 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INCAD

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 100 W Ballast Model: X

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>X</u>	<u>2</u>	<u>41</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: MENS CLOTHING TURN-IN

Area Dimensions: 14.5 ft X 8.5 ft. 10

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: PHO CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>45</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: MENS BATH ROOM

Area Dimensions: 14.5 ft X 18 ft. 9'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED AER (3) 4' WALL (2)

Switching - Type: WALL No. 2

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: PHO CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>61</u>	_____	_____
<u>2</u>	<u>1</u>	<u>2</u>			

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: MENS LOCKER

Area Dimensions: 14.5 ft X 20 ft. 91

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECES. 2'x4' ACR (4) 1'x4' ACR (1)

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>37</u>	_____	_____
<u>2</u>	<u>1</u>				

LIGHTING SURVEY DATA SHEET

BLDG. # 53160

ROOM # _____

Area Description: COMMON REST ROOMS

Area Dimensions: 10.5 ft X 11 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 1'x4' RECESSED (1) 1'x4' WALL MOUNT (ACRL)

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	_____	_____	_____

MEN + Women ARE SAME

LIGHTING SURVEY DATA SHEET

BLDG. # 53160 ROOM # _____

Area Description: HALL

Area Dimensions: 5 ft X 25 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4'x2' RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: SLD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>1</u>	<u>67</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # _____ ROOM # _____

Area Description: _____

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	_____	_____	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: PROVOST MARSHALL

Area Dimensions: 13.5 ft X 15 ft. 9' 2"

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SEE DRAWINGS

Switching - Type: Wall No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>4</u>	<u>34</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: SECURITY SPEC

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	_____	<u>48</u>	_____	_____

SAME AS PROV. MARSH

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: Room 103

Area Dimensions: 9 ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>2</u>	<u>1</u>	<u>2</u>	<u>27</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: 105

Area Dimensions: 15 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: S.M. WRAP AROUND

Switching - Type: WALL No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>2</u>	<u>1</u>	<u>4</u>	<u>39</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # _____ ROOM # _____

Area Description: 105 A

Area Dimensions: 8 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' EGGRATE

Switching - Type: WALL No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>24</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # _____ ROOM # _____

Area Description: 107

Area Dimensions: 15 ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: EGGRATE 4'

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>13</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: 102

Area Dimensions: 15.5 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: EGGCRATE

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>4</u>	<u>32</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: 104

Area Dimensions: 15 ft X 9.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: EGGCRATE

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>1</u>	<u>31</u>	_____	_____
<u>2</u>	<u>1</u>	<u>1</u>			

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: BREAK ROOM

Area Dimensions: 13 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: EGG CRATE

Switching - Type: WALL No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>15</u>	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: MENS BATH RM

Area Dimensions: 7 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: S.M. WRAP AROUND ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>23</u>	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: Wms Rest Room

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' SURF GAZET

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>11</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 34970

ROOM # 1

Area Description: SECRETARY OFFICE

Area Dimensions: 12 ft X 12 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0700 - 1630

Lamp Model: F40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>71</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: Hallways

Area Dimensions: _____ ft X _____ ft. 9'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: S.M. W-A Acrl.

Switching - Type: WS No. 2

Accessibility to User: fair - 1 behind drink machines

Hours of Operation: 24 h/d

Lamp Model: _____ Ballast Model: _____

	<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>fluor</u>	<u>4</u>	<u>2</u>	<u>9</u>	<u>80</u>	<u>65</u>	_____
<u>incand</u>	<u>1</u>	<u>-</u>	<u>1</u>			

New fluors

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: Storage Training

Area Dimensions: _____ ft X _____ ft. 8 1/2

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: Rec'd 2x4 w acryl

Switching - Type: WS No. 2

Accessibility to User: good

Hours of Operation: Intermittent

Lamp Model: _____ Ballast Model: _____

	<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
	<u>2</u>	<u>2</u>	<u>4</u>	<u>30</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: Locheroom 1

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: Rec'd 2x4 w/acryl.

Switching - Type: WS No. 1

Accessibility to User: Fair

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>37</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # _____

Area Description: Foyer

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: Rec'd 2x4 w/acryl

Switching - Type: WS No. 1

Accessibility to User: Good

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	_____	<u>1</u>	<u>27</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # 109

Area Description: Investigator
 Area Dimensions: _____ ft X _____ ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: S.M. Open Egg Crate
 Switching - Type: WS No. 1
 Accessibility to User: Good
 Hours of Operation: _____
 Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>70</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60020

ROOM # 110

Area Description: Investigator
 Area Dimensions: _____ ft X _____ ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: Rec'd fl. 2x4 w/acrylic
 Switching - Type: WS No. 1
 Accessibility to User: Good
 Hours of Operation: _____
 Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>56</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: Radio Room

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>4</u>	<u>2</u>	<u>3</u>	<u>27</u>	_____	_____
<u>2</u>	<u>1</u>	<u>1</u>			

Lights off

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: Locker room 2

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: Rec'd 2x4 w/aerogl

Switching - Type: WS No. 2 either

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>4</u>	<u>2</u>	<u>5</u>	<u>23</u>	_____	_____

Many lamps out

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: BREAK ROOM

Area Dimensions: 19.5 ft X 24.5 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2'x4' RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0630 - 1700

Lamp Model: F40CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>6</u>	<u>85</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: HALL

Area Dimensions: 4 ft X 10.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SURF WRAP AROUND

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>53</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: MENS RM

Area Dimensions: 5 ft X 9.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2'x4' REC. ACZ.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FWDCW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>1</u>	<u>20</u>	_____	_____

1 60W INCAD

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: WOMENS RM

Area Dimensions: 10 ft X 9.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2'x4' RECESSED ACZ.

Switching - Type: WALL No. 1

Accessibility to User: OUTSIDE OF BATH RM

Hours of Operation: _____

Lamp Model: FWDCW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>1</u>	<u>54</u>	_____	_____

2 18" WALL MOUNT FLOR. 2-TUBES

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: JANITOR

Area Dimensions: 4 ft X 4 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INCEAD

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 60 W Ballast Model: T

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>X</u>	<u>1</u>	<u>10</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: Rm. 6 OFFICE

Area Dimensions: 10 ft X 14 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2' x 4' REC. ACRY

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FWD CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>67</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: OPEN OFFICE

Area Dimensions: 27.5 ft X 22 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESS ACR.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>9</u>	<u>44</u>	<u>67</u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: Rm 5 OFFICE

Area Dimensions: 13.5 ft X 13 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>70</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: Rm 6 OFFICE

Area Dimensions: 13 ft X 13.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: PHOEN Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>66</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: STORAGE

Area Dimensions: 7.5 ft X 8.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SURF. MOUNT WRAP AROUND

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: PHOEN Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>24</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: Rm. 3 OFFICE
 Area Dimensions: 15.5 ft X 17.5 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 2'x4' RECES
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: F40CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>61</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: OPEN OFFICE AREA⁴
 Area Dimensions: 17 ft X 40 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: RECES ACB9
 Switching - Type: WALL No. 2
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: F40CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>9</u>	<u>84</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60000 ROOM # _____

Area Description: Rm 2 OFFICE

Area Dimensions: 10.5 ft X 17.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2'x4' RECES.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FUDCW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>76</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60000 ROOM # _____

Area Description: Rm #1 OFFICE

Area Dimensions: 15.5 ft X 17.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECES. ACRY.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FUDCW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>102</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60060

ROOM # _____

Area Description: ENTRANCE HALL + ACCOVS

Area Dimensions: 5 ft X 18 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M. WRAD

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: FW02W Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>53</u>	_____	_____

1 60W INCAD IN ACCOVS

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: _____

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	_____	_____	_____	_____

LIGHTING SURVEY ECO CHECK-LIST

BLDG # 60070

ROOM/AREA ENTIRE BUILDING

A. Reduce/enhance lighting

1. Remove unneeded lamps or fixtures _____
2. Reduce indoor lighting where illumination exceeds AEI recommended levels _____
3. Increase daylighting _____
4. Lower light fixtures _____
5. Improve reflection and dispersion with light-colored ceiling and walls _____

B. Improve lighting controls

1. Install occupancy controls to control lighting _____ ✓ AS
NEEDED
2. Install photocells to lighting near windows _____
3. Install additional switches to control lighting arrangements _____
4. Use time-clocks to shut off exterior building lights _____

C. Improve lighting efficiency

1. Replace incandescent lamps in kitchen, hallway, and bathroom fixtures with compact fluorescent lamps _____
2. Replace incandescent lamps in exit sign fixtures with LED fixtures _____
3. Replace incandescent lamps in exit signs with compact fluorescent lamps _____
4. Replace standard fluorescent lamps with energy-conserving lamps _____ ✓
5. Replace standard fluorescent ballasts with electronic ballasts _____ ✓
6. Replace existing fluorescent fixtures with new fixtures having efficient reflectors, electronic ballasts, and energy-conserving lamps _____ ✓
7. Use more efficient lighting sources, i.e., upgrade from incandescent to fluorescent, from fluorescent to HID, from mercury vapor to high-pressure sodium, etc. _____

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: T002 Rm

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	<u>5</u>	<u>43</u>	_____	_____

SEE DRAWING FOR DATA

LIGHTING SURVEY DATA SHEET

BLDG. # 60070

ROOM # _____

Area Description: COTTON STORAGE

Area Dimensions: 19 ft X 15 ft. 12' 8"

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 8' INDUS. SUSPENDED CLOSED APERTURE / GASKET SURFACE MOUNT
40W

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 75W-F96T-12 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>102</u>	<u>16</u>	_____
<u>2</u>	<u>1</u>	<u>4</u>	<u>UNDER 8' FIXTURE</u>	_____	_____

1-EXIT SIGN

LIGHTING SURVEY DATA SHEET

BLDG. # 60070

ROOM # _____

Area Description: OFFICE

Area Dimensions: 8.5 ft X 18.5 ft. 12' 8"

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' SURF MOUNT GASET

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>19</u>	_____	_____

LOWER LIGHTS

LIGHTING SURVEY DATA SHEET

BLDG. # 60070

ROOM # _____

Area Description: SHOWER

Area Dimensions: 9 ft X 11.5 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' GASET SURFACE MOUNT

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>50</u>	_____	_____

NOT USED AS STORAGE RM

LIGHTING SURVEY DATA SHEET

BLDG. # 60010

ROOM # _____

Area Description: MEN'S LOCKER

Area Dimensions: 8.5 ft X 18.5 ft. 12' 8"

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' GASKET SURFACE MOUNT

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>35</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: WOMEN'S SHOWER

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	_____	_____	_____	_____

- SAME AS MEN'S SHOWER

LIGHTING SURVEY DATA SHEET

BLDG. # 60010

ROOM # _____

Area Description: HALL

Area Dimensions: 5.5 ft X 17 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: GASSET SURFACE

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

2

1 - EXIT SIGN

LIGHTING SURVEY DATA SHEET

BLDG. # 60010

ROOM # _____

Area Description: MEN'S RESTROOM

Area Dimensions: 8 ft X 9.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4" GASSET SURFACE MOUNT

Switching - Type: WALL No. 1 NEED O.S.

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

2

25

LIGHTING SURVEY DATA SHEET

BLDG. # 60070

ROOM # _____

Area Description: REPAIR STATION

Area Dimensions: 17 ft X 24.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' GASKET + ADDIT SHOWN ON DRAWING

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2
4

1
Q1

12
1

21

—

—

LIGHTING SURVEY DATA SHEET

BLDG. # 60070

ROOM # _____

Area Description: CONTROL ROOM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' GASKET

Switching - Type: WALL No. 1 NEED O.S.

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

2

—

—

—

LIGHTING SURVEY DATA SHEET

BLDG. # 60090

ROOM # _____

Area Description: OFFICE #1

Area Dimensions: 15.5 ft X 15 ft. 10' 8"

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' ECCRATE - SUSPENDED

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0630 - 1700 OFF PEAK

Lamp Model: F40CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>4</u>	<u>43</u>	<u>55</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60090

ROOM # _____

Area Description: MAIN OFFICE

Area Dimensions: SEE DRAW ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>7</u>	<u>55</u>	<u>50</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60090

ROOM # _____

Area Description: ENTRANCE

Area Dimensions: 6 ft X 8 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>1</u>	<u>69</u>	_____	_____

----- LIGHTING SURVEY DATA SHEET

BLDG. # 60090

ROOM # _____

Area Description: OFFICE #2

Area Dimensions: 19.75 ft X 9.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>37</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60090

ROOM # _____

Area Description: FILE AREA

Area Dimensions: 11.75 ft X 22.75 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center).

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>7</u>	<u>50</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60090

ROOM # _____

Area Description: OFFICE #3

Area Dimensions: 13.75 ft X 9.75 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>38</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60090 ROOM # _____

Area Description: KITCHEN

Area Dimensions: 9.75 ft X 11.75 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>54</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60090 ROOM # _____

Area Description: HALL

Area Dimensions: 8.25 ft X 10.25 ft. + SEE DRAWING

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>57</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 60090

ROOM # _____

Area Description: Wms. RM

Area Dimensions: 5 ft X DRAWNB ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INCAD

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 60 W

Ballast Model: X

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

X

2

50

25

1

X

1

TOILET

ENTRANCE

LIGHTING SURVEY DATA SHEET

BLDG. # 60090

ROOM # _____

Area Description: MENS RM

Area Dimensions: 5.75 ft X DRAWNB ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INCAD

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

X

1

21

1

X

1

LIGHTING SURVEY DATA SHEET

BLDG. # 10-630

ROOM # _____

Area Description: WAREHOUSE AREA

Area Dimensions: SEE DRAW. ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 150 HIGH PRESS SODIUM

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: 0630-1700 (4 DAYS)

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
_____	_____	<u>18</u>	<u>Avg 4-6</u>	_____	_____

12' HIGH FIXTURES

LIGHTING SURVEY DATA SHEET

BLDG. # 60-630

ROOM # _____

Area Description: SHIPPING PREP.

Area Dimensions: 24 ft X 41 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: EXPLSION PROOF - 150W INLAD.

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
_____	_____	<u>9</u>	<u>8</u>	_____	_____

CELL - 9 1/2'
FIXTURE HEIGHT - 8 1/2'

LIGHTING SURVEY DATA SHEET

BLDG. # 60-630

ROOM # _____

Area Description: BREAK ROOM

Area Dimensions: 16'3" ft X 13'3" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: STD - ACTUALLY

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>50</u>	_____	_____

LOOKED AT BALLAST

8' - CELL.

LIGHTING SURVEY DATA SHEET

BLDG. # 60-630

ROOM # _____

Area Description: WOMENS REST ROOM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M. W.L.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>35</u>	_____	_____

1 Fixture is MOUNTED ON WALL - 7' HIGH

LIGHTING SURVEY DATA SHEET

BLDG. # 60-630

ROOM # _____

Area Description: MENS REST ROOM

Area Dimensions: 17' 8" ft X 13' 3" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: S.M.W.L.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

3

35

9' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # 60-630

ROOM # _____

Area Description: MENS SHOWERS

Area Dimensions: INCLUDED IN ft X _____ ft.

Fixture Grid: MENS RM ft X _____ ft. (center-to-center)

Fixture Type: INCLAD - 75W EVIDENCE PROOF (1)

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

3

9' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # 1030

ROOM # _____

Area Description: STORAGE ROOM

Area Dimensions: 5'8" ft X 13'3" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' WET LOCATION

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F4DCW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>13</u>	<u> </u>	<u> </u>

Fixture is S.M. TYPE BUT IS MOUNTED ON WALL 8' HIGH

----- LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: OFFICE

Area Dimensions: 10'10" ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.L.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 4DW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>3</u>	<u>42</u>	<u> </u>	<u> </u>

LEIL. 2'

LIGHTING SURVEY ECO CHECK-LIST

BLDG # 65100

ROOM/AREA ENTIRE BUILDING

A. Reduce/enhance lighting

1. Remove unneeded lamps or fixtures ☐
2. Reduce indoor lighting where illumination exceeds AEI recommended levels ☐
3. Increase daylighting ☐
4. Lower light fixtures ☐
5. Improve reflection and dispersion with light-colored ceiling and walls ☐

B. Improve lighting controls

1. Install occupancy controls to control lighting ☐
2. Install photocells to lighting near windows ☐
3. Install additional switches to control lighting arrangements ☐
4. Use time-clocks to shut off exterior building lights ☐

C. Improve lighting efficiency

1. Replace incandescent lamps in kitchen, hallway, and bathroom fixtures with compact fluorescent lamps ☐
2. Replace incandescent lamps in exit sign fixtures with LED fixtures ☐
3. Replace incandescent lamps in exit signs with compact fluorescent lamps ☐
4. Replace standard fluorescent lamps with energy-conserving lamps ☒
5. Replace standard fluorescent ballasts with electronic ballasts ☒
6. Replace existing fluorescent fixtures with new fixtures having efficient reflectors, electronic ballasts, and energy-conserving lamps ☒
7. Use more efficient lighting sources, i.e., upgrade from incandescent to fluorescent, from fluorescent to HID, from mercury vapor to high-pressure sodium, etc. ☐

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: OFFICE - #1

Area Dimensions: 19 ft X 16.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INDUSTRIAL SURFACE MOUNT CLOSED APERTURE

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: 0630 - 1630 4 DAYS

Lamp Model: 8' - 60W 4' - 40W Ballast Model: _____

	<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
4'	<u>2</u>	<u>1</u>	<u>4</u>	<u>45</u>	<u>40</u>	_____
8' -	<u>4</u>	<u>2</u>	<u>2</u>			

2 Lamps out in 8' Fix.

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: WOMENS REST ROOM

Area Dimensions: 8 ft X 12 ft. 10'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

	<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
	<u>2</u>	<u>1</u>	<u>2</u>	<u>37</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: OFFICE #2

Area Dimensions: 11 ft X 12.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SURFACE MOUNT - ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: BAD LOCATION

Hours of Operation: _____

Lamp Model: 1

Ballast Model: 111

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>72</u>	<u> </u>	<u> </u>

----- LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: MAST-SUIT DISTRIBUTION

Area Dimensions: 27 ft X 52 ft. + 36 X 24

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 2'x4' RECESSED ACRYLIC

Switching - Type: WALL No. 3

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: MAZE ETI

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>26</u>	<u>28</u>	<u>32</u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: TRAINING ROOM

Area Dimensions: 23 ft X 15 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME AS MASTER

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: M - III

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>29</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: HALL #1

Area Dimensions: 5 ft X 20 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' INDUS

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>4</u>	<u>45</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: MENS RM

Area Dimensions: 11 ft X 13.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' INDUS

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>47</u>	—	—

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: CHANGE ROOM

Area Dimensions: 15 ft X 13 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' INDUS

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: P40CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>4</u>	<u>37</u>	—	—

HEATER IN ROOM (SPACE HEAT) BLOWING CONT.

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: HALL #2

Area Dimensions: 7 ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' INDUSTRIAL

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>8</u>	<u>18</u>	<u>20</u>	_____

FIXTURE HEIGHT - 10'

----- LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____

Area Description: BREAK RM

Area Dimensions: 16 ft X 24 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 8' INDUS. SURF MOUNT

Switching - Type: WALL No. 1 NEED O.S

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F60 CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>18</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63160

ROOM # _____

Area Description: STORAGE AREA
 Area Dimensions: 42 ft X 31 ft. + 18 x 30
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 8' INDUS.
 Switching - Type: WALL No. _____
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: F60CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>12</u>	<u>42</u>	<u>47</u>	<u> </u>

FIXTURE HEIGHT - 13

LIGHTING SURVEY DATA SHEET

BLDG. # 63100

ROOM # _____


Area Description: CLEAN ROOM
 Area Dimensions: 60 ft X 40 ft. 9'8"
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: INDUS. SUR
 Switching - Type: WALL No. _____
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: F60CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>29</u>	<u>112</u>	<u>61</u>	<u> </u>
<u>4</u>	<u>2</u>	<u>3</u>			

RS&H

SUBJECT _____
DESIGNER _____
CHECKER _____

AEP NO _____
SHEET _____ OF _____
DATE _____
DATE _____



LIGHTING SURVEY ECO CHECK-LIST

BLDG # 63110

ROOM/AREA ENTIRE BUILDING

A. Reduce/enhance lighting

1. Remove unneeded lamps or fixtures _____
2. Reduce indoor lighting where illumination exceeds AEI recommended levels _____
3. Increase daylighting _____
4. Lower light fixtures _____
5. Improve reflection and dispersion with light-colored ceiling and walls _____

B. Improve lighting controls

1. Install occupancy controls to control lighting _____
2. Install photocells to lighting near windows _____
3. Install additional switches to control lighting arrangements _____
4. Use time-clocks to shut off exterior building lights _____

C. Improve lighting efficiency

1. Replace incandescent lamps in kitchen, hallway, and bathroom fixtures with compact fluorescent lamps _____
2. Replace incandescent lamps in exit sign fixtures with LED fixtures _____
3. Replace incandescent lamps in exit signs with compact fluorescent lamps _____
4. Replace standard fluorescent lamps with energy-conserving lamps _____✓
5. Replace standard fluorescent ballasts with electronic ballasts _____✓
6. Replace existing fluorescent fixtures with new fixtures having efficient reflectors, electronic ballasts, and energy-conserving lamps _____✓
7. Use more efficient lighting sources, i.e., upgrade from incandescent to fluorescent, from fluorescent to HID, from mercury vapor to high-pressure sodium, etc. _____

* THIS BUILDING IS NOT CURRENTLY
BEING USED

LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: LAYOUT #1
 Area Dimensions: 64 ft X 82 ft. 9'
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: RECESSED 2'x4' ACRYLIC
 Switching - Type: WALL No. _____
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>45</u>	<u>37</u>	_____	_____

2 EXIT SIGNS

 LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: LAYOUT #2
 Area Dimensions: ~~34~~ 43 ft X 64 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 8' INDUSTRIAL CLOSED AOE
 Switching - Type: WALL No. 2
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: F96 T-12 75W Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>9</u>	<u>62</u>	_____	_____

Fixture 11'

LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: TESTING

Area Dimensions: 18 ft X 7 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SURFACE MOUNTED WIZARD AROUND - 4'

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

3

40

LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: BONDING

Area Dimensions: 18 ft X 28 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC 2' X 4'

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

4

2

6

27

47

LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: STORAGE A
 Area Dimensions: 11 ft X 15 ft. 8.5'
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: SURFACE Mount 2x4 WRAP Beam
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: F40 CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>58</u>	_____	_____

 LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: SMOKE BREAK
 Area Dimensions: 12.5 ft X 13 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: RECESSED ACRYLIC 2x4
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>3</u>	<u>39</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: BREAK ROOM

Area Dimensions: 15.5 ft X 20 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

4

2

3

49

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: BATHROOM (2 IDENTICAL)

Area Dimensions: 10.5 ft X 10.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' WRAP AROUND

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

1

20

LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: STORAGE B

Area Dimensions: 7 ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' SURFACE MOUNT WRAP AROUND

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>2</u>	<u>48</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63110

ROOM # _____

Area Description: OFFICE

Area Dimensions: 8 ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC 2x4

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>89</u>	_____	_____

LIGHTING SURVEY ECO CHECK-LIST

BLDG # 63120

ROOM/AREA ENTIRE BUILDING

A. Reduce/enhance lighting

1. Remove unneeded lamps or fixtures ☐
2. Reduce indoor lighting where illumination exceeds AEI recommended levels ☐
3. Increase daylighting ☐
4. Lower light fixtures ☐
5. Improve reflection and dispersion with light-colored ceiling and walls ☐

B. Improve lighting controls

1. Install occupancy controls to control lighting ☐
2. Install photocells to lighting near windows ☐
3. Install additional switches to control lighting arrangements ☐
4. Use time-clocks to shut off exterior building lights ☐

C. Improve lighting efficiency

1. Replace incandescent lamps in kitchen, hallway, and bathroom fixtures with compact fluorescent lamps ☐
2. Replace incandescent lamps in exit sign fixtures with LED fixtures ☐
3. Replace incandescent lamps in exit signs with compact fluorescent lamps ☐
4. Replace standard fluorescent lamps with energy-conserving lamps ☒
5. Replace standard fluorescent ballasts with electronic ballasts ☒
6. Replace existing fluorescent fixtures with new fixtures having efficient reflectors, electronic ballasts, and energy-conserving lamps ☒
7. Use more efficient lighting sources, i.e., upgrade from incandescent to fluorescent, from fluorescent to HID, from mercury vapor to high-pressure sodium, etc. ☐

LIGHTING SURVEY DATA SHEET

BLDG. # 63120

ROOM # _____

Area Description: LOADING AREA #1

Area Dimensions: 61 ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: MERCURY VAPOR

Switching - Type: WALL No. _____

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 175 W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>X</u>	<u>26</u>	<u>8</u>	<u>10</u>	<u> </u>

MERCURY VAPORS THROUGHOUT BUILDING ARE 175 W
14' HIGH

LIGHTING SURVEY DATA SHEET

BLDG. # 63120

ROOM # _____

Area Description: REST ROOM #1

Area Dimensions: 8 ft X 10 ft. 81

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' SURFACE MOUNT WRAP AROUND

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	<u>30</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 63120

ROOM # _____

Area Description: REST ROOM #2 / CHANGE AREA

Area Dimensions: 18 ft X 17 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' WRAP AROUND SURF. MOUNT

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>27</u>	<u>80</u>	<u>29</u>
<u>2</u>	<u>1</u>	<u>2</u>			

2 INCANDESCENT IN SHOWER

LIGHTING SURVEY DATA SHEET

BLDG. # 63120

ROOM # _____

Area Description: MACHINE SHOP (W/ LAYOUT 1 CALC.)

Area Dimensions: 64 ft X 42 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: MERCURY VAPOR / INDUS. SUSP. 8'

Switching - Type: WALL No. _____

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F96 TW-60W

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>X</u>	<u>8</u>	<u>30</u>		
<u>2</u>	<u>1</u>	<u>10</u>			

FLUORESCENTS - 10' HIGH
MERCURY VAPOR - 14'

LIGHTING SURVEY DATA SHEET

BLDG. # 63120

ROOM # _____

Area Description: RADIOACTIVE MATERIAL STORAGE

Area Dimensions: 10 ft X 10 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC 2'x4'

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>45</u>	<u>56</u>	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63120

ROOM # _____

Area Description: OFFICE

Area Dimensions: 10 ft X 14 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>30</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63120

ROOM # _____

Area Description: TOOL ROOM OFFICE

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' INDUSTRIAL SURF. MOUNT

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40-CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>1</u>	_____	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63120

ROOM # _____

Area Description: BREAK ROOM

Area Dimensions: 14 ft X 16 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>42</u>	_____	_____

LIGHTING SURVEY ECO CHECK-LIST

BLDG # 63200

ROOM/AREA ENTIRE BUILDING

A. Reduce/enhance lighting

1. Remove unneeded lamps or fixtures _____
2. Reduce indoor lighting where illumination exceeds AEI recommended levels _____
3. Increase daylighting _____
4. Lower light fixtures _____
5. Improve reflection and dispersion with light-colored ceiling and walls _____

B. Improve lighting controls

1. Install occupancy controls to control lighting _____
2. Install photocells to lighting near windows _____
3. Install additional switches to control lighting arrangements _____
4. Use time-clocks to shut off exterior building lights _____

C. Improve lighting efficiency

1. Replace incandescent lamps in kitchen, hallway, and bathroom fixtures with compact fluorescent lamps _____
2. Replace incandescent lamps in exit sign fixtures with LED fixtures _____
3. Replace incandescent lamps in exit signs with compact fluorescent lamps _____
4. Replace standard fluorescent lamps with energy-conserving lamps _____✓
5. Replace standard fluorescent ballasts with electronic ballasts _____✓
6. Replace existing fluorescent fixtures with new fixtures having efficient reflectors, electronic ballasts, and energy-conserving lamps _____✓
7. Use more efficient lighting sources, i.e., upgrade from incandescent to fluorescent, from fluorescent to HID, from mercury vapor to high-pressure sodium, etc. _____

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: MAIN AREA

Area Dimensions: 154 ft X 68 ft. 10'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. _____

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

4

2

68

71

112

3 EXIT SIGNS

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: BREAK ROOM

Area Dimensions: 20 ft X 28 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED 2'x4'

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

9

34

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: MENS RM

Area Dimensions: 11.5 ft X 19 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED 2x4 ACRYLIC

Switching - Type: WALL No. 1 → NEED O.S.

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

4

2

2

44

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: WOMENS RM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

SAME AS MENS

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: MAST INSPECTION

Area Dimensions: 28 ft X 32 ft. 10'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACQUIC 2x4

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>14</u>	<u>48</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: STORAGE RM

Area Dimensions: 6 ft X 28 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>2</u>	<u>1</u>	<u>3</u>	<u>20</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: OFFICE #1

Area Dimensions: 11 ft X 14 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACR

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

2

35

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: OFFICE #2

Area Dimensions: 20 ft X 16 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SAME

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

24

49

RS&H

SUBJECT _____
DESIGNER _____
CHECKER _____

AEP NO _____
SHEET _____ OF _____
DATE _____
DATE _____

63-200


88'

MAST
INSPECTION

MEN'S
RM

WOMEN'S
RM

825A



LIGHTING SURVEY ECO CHECK-LIST

BLDG # G3210

ROOM/AREA ENTIRE BUILDING

A. Reduce/enhance lighting

1. Remove unneeded lamps or fixtures _____
2. Reduce indoor lighting where illumination exceeds AEI recommended levels _____
3. Increase daylighting _____
4. Lower light fixtures _____
5. Improve reflection and dispersion with light-colored ceiling and walls _____

B. Improve lighting controls

1. Install occupancy controls to control lighting _____
2. Install photocells to lighting near windows _____
3. Install additional switches to control lighting arrangements _____
4. Use time-clocks to shut off exterior building lights _____

C. Improve lighting efficiency

1. Replace incandescent lamps in kitchen, hallway, and bathroom fixtures with compact fluorescent lamps _____
2. Replace incandescent lamps in exit sign fixtures with LED fixtures _____
3. Replace incandescent lamps in exit signs with compact fluorescent lamps _____
4. Replace standard fluorescent lamps with energy-conserving lamps _____✓
5. Replace standard fluorescent ballasts with electronic ballasts _____✓
6. Replace existing fluorescent fixtures with new fixtures having efficient reflectors, electronic ballasts, and energy-conserving lamps _____✓
7. Use more efficient lighting sources, i.e., upgrade from incandescent to fluorescent, from fluorescent to HID, from mercury vapor to high-pressure sodium, etc. _____

LIGHTING SURVEY DATA SHEET

BLDG. # 63210

ROOM # _____

Area Description: MAIN AREA

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 8' INDUS. SUSPENDED OPEN PENDULUM + OTHERS

Switching - Type: WALL No. _____

SEE DRAWING

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F60-CW

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

SEE

DRAWING

122

35

↑
PACKAGING

AREA

FIXTURE HEIGHT - 10'

2 EXIT SIGNS

LIGHTING SURVEY DATA SHEET

BLDG. # 63210

ROOM # _____

Area Description: M43 TEST REP

Area Dimensions: 30 ft X 30 ft. 8'

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: RECESSED ACRYLIC

Switching - Type: WALL No. 2

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

2

1

15

11

40

OWNER REQUEST CHANGE IN LIGHTING LAYOUT - LOW

1 EXIT SIGN

FC IN SAME
AREAS

LIGHTING SURVEY DATA SHEET

BLDG. # 63210

ROOM # _____

Area Description: STORAGE ROOMS

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

31

SEE DRAWINGS
FOR OTHER DATA

LIGHTING SURVEY DATA SHEET

BLDG. # 63210

ROOM # _____

Area Description: DRYING ROOM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: INCAD.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 100 W

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

LIGHTING SURVEY DATA SHEET

BLDG. # 63210

ROOM # _____

Area Description: BREAKROOM

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: SEE DRAW

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>SEE DRAW</u>	_____	<u>7</u>	<u>48</u>	_____	_____

1 EXIT SIGN

LIGHTING SURVEY DATA SHEET

BLDG. # 63210

ROOM # _____

Area Description: OFFICE #1

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	<u>2</u>	<u>45</u>	_____	_____

SEE DRAWING
FOR DATA

LIGHTING SURVEY DATA SHEET

BLDG. # 63200

ROOM # _____

Area Description: Tool Rm

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	<u>5</u>	<u>43</u>	_____	_____

SEE DRAWING FOR DATA

LIGHTING SURVEY DATA SHEET

BLDG. # 60070

ROOM # _____

Area Description: COTTON STORAGE

Area Dimensions: 19 ft X 15 ft. 12' 8"

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 8' INDUS. SUSPENDED CLOSED APERTURE / GASKET SURFACE MOUNT
40W

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 75W-F96 T-12 CW Ballast Model: STD

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>4</u>	<u>2</u>	<u>2</u>	<u>102</u>	<u>16</u>	_____
<u>2</u>	<u>1</u>	<u>1</u>	<u>UNDER 8' FIXTURE</u>	_____	_____

1-EXIT SIGN

LIGHTING SURVEY DATA SHEET

BALLAST TYPE
SEE LOWER RN #2

BLDG. # 63-410

ROOM # _____

Area Description: ENTRANCE
 Area Dimensions: 12' 5" ft X 11' 5" ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 4' S.M.W.A.
 Switching - Type: WALL No. 3
 Accessibility to User: OK
 Hours of Operation: 0630 - 1700 (5 DAYS)
 Lamp Model: 34W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>2</u>	_____	_____	_____

1 EXIT SIGN
9' CEILING

- THROUGHOUT BUILDING - SEVERAL LIGHT FIXTURES
HAVE LENS COVERS REMOVED

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # 1

Area Description: ALLDVE
 Area Dimensions: 3' 8" ft X 6' 0" ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 4' S.M.W.A.
 Switching - Type: WALL No. 2
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: 34W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>13</u>	_____	_____

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: LOFTER ROOM #1

Area Dimensions: 27 ft X 19 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A. (10) 4' WALL MOUNT (3)

Switching - Type: WALL No. _____

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>13</u>	<u>21</u>	<u>40</u>	<u> </u>

UNDER
WALL LIGHTS

1 EXIT SIGN - NOT ON

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: SHOWERS #1

Area Dimensions: 27 ft X 18' 8" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M. WET LOCATION

Switching - Type: WALL No. _____

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>10</u>	<u>14</u>	<u> </u>	<u> </u>

2 EXIT SIGNS

7' 4"
4' 2"
6' 9"
5'
17'
18' 2"

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: LOCKER RM #2

Area Dimensions: 20 ft X 15.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A (6) 4' WALL MOUNT

Switching - Type: WALL No. 2

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW

Ballast Model: Universal 412-L-SLH-LD-TC-P

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>7</u>	<u>26</u>	_____	_____

1 EXIT SIGN

4' LBL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALLUVE #2

Area Dimensions: 6 ft X 4 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>20</u>	_____	_____

8' LBL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: Rest Room #1
 Area Dimensions: 5 ft X 16 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 4' S.M.W.A. (2) 4' W.M. - (1) 7' HIGH
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: F40CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>3</u>	<u>30</u>	_____	_____

8' CEIL.

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: Locker Rm #2
 Area Dimensions: 6' 9" ft X 18' 4" ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 4' S.M.W.A.
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: F40CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>3</u>	<u>33</u>	_____	_____

1 EXIT SIGN

6' CEIL.

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: SHOWERS #2

Area Dimensions: 20 ft X 16 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: S.M.W.L.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40 CW

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>6</u>	<u>14</u>	_____	_____

1 EXIT SIGN

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALLIANCE #3

Area Dimensions: 4' 10" ft X 7 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: COMPACT FLUORESCENT - BIAK

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>6</u>	_____	_____

LEIL - 8'

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALLOVE #4

Area Dimensions: 3' 8" ft X 5' 3" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: COMPACT FLUOR BLAX

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>6</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALLOVE #5

Area Dimensions: 5' 7" ft X 3' 8" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: COMPACT FLUOR BLAX

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>5</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALLCOVE #6

Area Dimensions: 3' 8" ft X 6 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: COMPACT FLUORESCENT BLAX

Switching - Type: WALL No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

1

1

1

9

1 EXIT SIGN

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: OPEN AREA (R.D. #2)

Area Dimensions: 10' 4" ft X 9' 11" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A

Switching - Type: WALL No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: 34W

Ballast Model: _____

Lamps/
Fixture

Ballast/
Fixture

No.
Fixture

FC

FC

FC

1

1

2

28

SWITCH CONTROLS OPEN AREA ALLCOVE #6 & BATHROOM

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: REST Room #2

Area Dimensions: 15'10" ft X 4' 11" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A (2) 4' W.M. (1)

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>3</u>	<u>26</u>	_____	_____

8' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALLGVE #7

Area Dimensions: 4'3" ft X 7'2" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: F40CW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>26</u>	_____	_____

8' CELL.

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: HALLWAY #1

Area Dimensions: 6'2" ft X 21.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>2</u>	<u>18</u>	<u> </u>	<u> </u>

4' CELL.
2 EXIT SIGNS

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: OFFICE #1

Area Dimensions: 8'11" ft X SEE DRAW ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>2</u>	<u>22</u>	<u>23</u>	<u> </u>

4' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: KITCHEN

Area Dimensions: 8' 11" ft X SEE DRAW ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A. (4)

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W F30T-12 (W.M) Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>5</u>	<u>25</u>	<u> </u>	<u> </u>

9' LEIL.

STD BALLAST IN W.M. FIXT.

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: BREAK ROOM

Area Dimensions: 20' 9" ft X 30' 3" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>12</u>	<u>22</u>	<u> </u>	<u> </u>

9' LEIL.

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: OFFICE #3

Area Dimensions: 8 ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 34W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>2</u>	<u>22</u>	<u> </u>	<u> </u>

4' CEIL

LIGHTING SURVEY DATA SHEET

BLDG. # 63

ROOM # _____

Area Description: OFFICE #4

Area Dimensions: 10' 10" ft X 12 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 34W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>4</u>	<u>35</u>	<u> </u>	<u> </u>

4' CEIL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: BATH ROOM #3
 Area Dimensions: 10'4" ft X S.D. ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 4' S.M.W.A. (2) 4' W.M. (1)
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____

Lamp Model: 40 W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>3</u>	<u>32</u>	_____	_____

8' CEIL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALLVRE #8
 Area Dimensions: 4 ft X 4 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: COMBAC FLOOR, BIA-X
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>7</u>	_____	_____

8' CEIL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: HALLWAY 2
 Area Dimensions: 6 ft X 24 ft. + 4 x 5'6"
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 4' S.M.W.A.
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: 40W (2) 34W (1) Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>3</u>	<u>23</u>	<u>20</u>	<u> </u>

9' CEIL
2 EXIT SIGNS

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: BATH ROOM #4
 Area Dimensions: 8' 11" ft X 10' ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 4' S.M.W.A. (2) 4' W.M. (1)
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: 34W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>3</u>	<u>20</u>	<u> </u>	<u> </u>

9' CEIL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-A10

ROOM # _____

Area Description: ALLIANCE (Wms. Rm.)

Area Dimensions: 4 ft X 4 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: COMPACT FLUORESCENT BIX

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>10</u>	<u> </u>	<u> </u>

8' CEIL.

LIGHTING SURVEY DATA SHEET

BLDG. # 63-A10

ROOM # _____

Area Description: ENTRANCE #2

Area Dimensions: 8' 9" ft X 8' 1" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M. WA

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 34W

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>15</u>	<u> </u>	<u> </u>

9' CEIL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALCOVE #9
 Area Dimensions: 4 ft X 6 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: COMPACT FLUORESC 3' X 4'
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u> </u>	<u> </u>	<u> </u>

9' LED
LIGHT BURNED OUT

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: LITANKE ROOM #1
 Area Dimensions: 19.5 ft X 32 ft.
 Fixture Grid: _____ ft X _____ ft. (center-to-center)
 Fixture Type: 4' S.M.W.A (10) 4' W.M (3)
 Switching - Type: WALL No. 1
 Accessibility to User: OK
 Hours of Operation: _____
 Lamp Model: 34 + 40 W MIXTURE Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>13</u>	<u>35</u>	<u>20</u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: SHOWERS

Area Dimensions: 32 ft X 18' 2" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.L. (4) C.F. BLK

Switching - Type: WALL No. 1

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>15</u>	_____	_____

1 EXIT SIGN

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: ALLOVE #10

Area Dimensions: 12 ft X 3' 8" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: COMDAC FLOOR BLK

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>2</u>	<u>5</u>	_____	_____

2 EXIT SIGNS
8' CEIL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: OPEN AREA #2

Area Dimensions: 10'3" ft X 9'7" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>2</u>	<u>32</u>	<u> </u>	<u> </u>

8' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: REST ROOM #5

Area Dimensions: 4'11" ft X 16'9" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A. (2) 4' W.M. (1)

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 34W (1) 40W (2) Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>3</u>	<u>33</u>	<u> </u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # B-AD

ROOM # _____

Area Description: Area #11 (Women's)

Area Dimensions: 4 ft X 6 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: Compact Fluor BIA

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>1</u>	<u>7</u>	<u> </u>	<u> </u>

9' CEK

LIGHTING SURVEY DATA SHEET

BLDG. # B-AD

ROOM # _____

Area Description: Wms. Locker Rm

Area Dimensions: 19.5 ft X 20.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A (6) 4' W.M. (1)

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>7</u>	<u>21</u>	<u>18</u>	<u> </u>

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: WMS. SHOWERS

Area Dimensions: 11' 9" ft X 19.5 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.L.

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 34W

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>6</u>	<u>13</u>	<u> </u>	<u> </u>

8' CELL
1 EXTENSION

LIGHTING SURVEY DATA SHEET

BLDG. # 63-410

ROOM # _____

Area Description: BATH RM #6

Area Dimensions: 10' 3" ft X 16' 3" ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A (3) 4' W.M. (1) 7'

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W

Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>4</u>	<u>17</u>	<u> </u>	<u> </u>

8' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # B-410

ROOM # _____

Area Description: ALLUVE #12

Area Dimensions: SEE DRAW ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
<u>1</u>	<u>1</u>	<u>2</u>	<u>NO LIGHTS OUT</u>	_____	_____

1 EXIT SIGN
6' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # B-410

ROOM # _____

Area Description: ALLUVE #13

Area Dimensions: 3'8" ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: COMPACT BIA-X

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

<u>Lamps/ Fixture</u>	<u>Ballast/ Fixture</u>	<u>No. Fixture</u>	<u>FC</u>	<u>FC</u>	<u>FC</u>
_____	_____	_____	_____	_____	_____

NO LIGHTS
2' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # B-410

ROOM # _____

Area Description: LEE MACH. RM

Area Dimensions: 10' ft X 10 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 40W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>2</u>	<u>25</u>	_____	_____
+ 1 BLAX.					

4' - CELL

LIGHTING SURVEY DATA SHEET

BLDG. # B-410

ROOM # _____

Area Description: CLOTHING ISSU

Area Dimensions: 10 ft X 18 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: 34W Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>6</u>	<u>24</u>	_____	_____

4' CELL

LIGHTING SURVEY DATA SHEET

BLDG. # B3-41D

ROOM # _____

Area Description: MASK STORAGE

Area Dimensions: 26 ft X 19 ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: 4' S.M.W.A

Switching - Type: WALL No. 1

Accessibility to User: OK

Hours of Operation: _____

Lamp Model: ADW Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
<u>1</u>	<u>1</u>	<u>12</u>	<u>14</u>	_____	_____

12' - CELL

LIGHTING SURVEY DATA SHEET

BLDG. # _____

ROOM # _____

Area Description: _____

Area Dimensions: _____ ft X _____ ft.

Fixture Grid: _____ ft X _____ ft. (center-to-center)

Fixture Type: _____

Switching - Type: _____ No. _____

Accessibility to User: _____

Hours of Operation: _____

Lamp Model: _____ Ballast Model: _____

Lamps/ Fixture	Ballast/ Fixture	No. Fixture	FC	FC	FC
_____	_____	_____	_____	_____	_____
